

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		<u>Description</u>	
BELAIR ELEMENTARY SCHOOL			
701 BELAIR DR			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	10/21/16		
0		No Violations Cited	
CEDAR HILLS ELEMENTARY SCHOOL			
1510 VIETH DR			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	10/14/16		
0		No Violations Cited	
EAST ELEMENTARY SCHOOL			
1229 E MCCARTY ST			
JEFFERSON CITY, MO 65101			
ROUTINE	Occurred	Description	Status
INSPECTION	10/14/16		
0		No Violations Cited	
LEWIS AND CLARK MIDDLE SCHOOL			
325 LEWIS AND CLARK DR			
JEFFERSON CITY, MO 65101			
ROUTINE	Occurred	Description	Status
INSPECTION	10/17/16		
0		No Violations Cited	
MOREAU HEIGHTS ELEMENTARY SCHOOL			
1410 HOUGH PARK ST			
JEFFERSON CITY, MO 65101			
ROUTINE	Occurred	Description	Status
INSPECTION	10/19/16		
0		No Violations Cited	
SOUTHWEST ELEMENTARY SCHOOL			
812 ST MARYS BLVD			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	10/13/16		
0		No Violations Cited	
THORPE GORDON ELEMENTARY SCHOOL			
1101 JACKSON ST			
JEFFERSON CITY, MO 65101			
ROUTINE	Occurred	Description	Status
INSPECTION	10/19/16		
0		No Violations Cited	
WEST ELEMENTARY SCHOOL			
100 DIX RD			
JEFFERSON CITY, MO 65109			
ROUTINE	Occurred	Description	Status
INSPECTION	10/12/16		
0		No Violations Cited	

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
IMMACULATE CONCEPTION ELEMENTARY SCHOOL 1208 E MCCARTY ST JEFFERSON CITY, MO 65101			
	Occurred	Description	Status
ROUTINE	10/28/16		
INSPECTION			
0		No Violations Cited	
BANDANA'S BAR-B-Q 2336 MISSOURI BLVD JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	10/10/16		
INSPECTION			
0		No Violations Cited	
BREAK TIME #3048 627 CLARK AVE JEFFERSON CITY, MO 65101			
	Occurred	Description	Status
ROUTINE	10/20/16		
INSPECTION			
		OBSERVED: Chili wells had food debris splattered on the outside. OBSERVED: Soda Fountain had soda splatter present OBSERVED: F'Real milk shake machine had food debris present OBSERVED: Cappuccino machine had splatter debris present	NON-CRITICAL
CASEY'S GENERAL STORE 102 EASTLAND DR JEFFERSON CITY, MO 65101			
	Occurred	Description	Status
ROUTINE	10/13/16		
INSPECTION			
		OBSERVED: Door for the reach in freezer has a torn seal	NON-CRITICAL
CONVENIENT FOOD MART 426 BROOKS ST JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	10/12/16		
INSPECTION			
		OBSERVED: dust present on ceiling tile above customer self-serve station.	NON-CRITICAL
		OBSERVED: box of food (flour tortillas) stored on floor in walk in cooler.	NON-CRITICAL
		OBSERVED: interior lower cabinets below self-serve soda dispenser not clean.	NON-CRITICAL
		OBSERVED: top of cooking oven/items not clean.	
DOLLAR TREE STORES INC. #558 3535 MISSOURI BLVD STE 127 JEFFERSON CITY, MO 65109			
	Occurred	Description	Status
ROUTINE	10/12/16		
INSPECTION			
		OBSERVED: Food debris under pretzels on store shelf	NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

ECCO LOUNGE
703 JEFFERSON ST
JEFFERSON CITY, MO 65101

ROUTINE
 INSPECTION

Occurred
 10/31/16

Description

Description

Status

OBSERVED: no test kit for bar sanitizer present NON-CRITICAL
 OBSERVED: no ceiling present above 4 foot make table cooler in
 kitchen; no ceiling present over basement ice maker NON-CRITICAL
 OBSERVED: bottom shelf food in Alto Sham below 130 F NON-CRITICAL
 OBSERVED: burned out lighting over mop sink NON-CRITICAL
 OBSERVED: employee restroom door does not self-close NON-CRITICAL

EL ESPOLON MEXICAN RESTAURANT
915 EASTLAND DR X
JEFFERSON CITY, MO 65101

ROUTINE
 INSPECTION

Occurred
 10/26/16

Description

Status

OBSERVED: gooseneck sprayer robbed from utility sink to repair NON-CRITICAL
 dishmachine sprayer, replace faucet at utility sink
 OBSERVED: servers expo table cooler measured 45 F instead of 41 NON-CRITICAL
 F, turn cooler lower to 41 F or below
 OBSERVED: several kitchen and employee restroom ceiling tiles are NON-CRITICAL
 missing or displaced, replace tiles
 OBSERVED: employee restroom door does not fully self-close, adjust NON-CRITICAL

EL ESPOLON MEXICAN RESTAURANT
450 ROCK HILL RD
JEFFERSON CITY, MO 65109

ROUTINE
 INSPECTION

Occurred
 10/27/16

Description

Status

OBSERVED: unprotected light present in hood over grill, [shield] NON-CRITICAL
 OBSERVED: one hot water faucet turned off due to leaking, [repair] NON-CRITICAL
 OBSERVED: interior wall of ice maker and area around soda ice bin
 lids is soiled; bar ice bin drain is soiled, [clean both areas] NON-CRITICAL
 OBSERVED: missing ceiling tile in employee restroom, [replace] NON-CRITICAL

FUJI JAPANESE STEAK HOUSE
3600 COUNTRY CLUB DR STE 512
JEFFERSON CITY, MO 65109

ROUTINE
 INSPECTION

10/25/16

OBSERVED: rice scoop found in stagnant, room temperature water NON-CRITICAL
 OBSERVED: shatter plate and interior back wall of ice maker appears
 soiled NON-CRITICAL
 OBSERVED: floor in dry storage room and small area under kitchen
 grill are soiled along wall/floor juncture NON-CRITICAL

GERBES WEST DELI DEPARTMENT
2805 W TRUMAN BLVD
JEFFERSON CITY, MO 65109

ROUTINE
 INSPECTION

Occurred
 10/27/16

Description

Status

OBSERVED: Soda machine has debris and splatter present NON-CRITICAL
 OBSERVED: Vent Hood has debris present

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description**LION #11**

718 W STADIUM BLVD
JEFFERSON CITY, MO

65109

Occurred

10/17/16

ROUTINE
 INSPECTION

Description

Status

OBSERVED: Cappuccino machine has debris present
 OBSERVED: Coca Cola fountain machine has splatter present

NON-CRITICAL

LEE'S FAMOUS RECIPE

1550 MISSOURI BLVD
JEFFERSON CITY, MO

65109

Occurred

10/04/16

ROUTINE
 INSPECTION

Description

Status

OBSERVED: lids/straws present under drive thru soda fountain cabinet.
 OBSERVED: wiping clothes not stored in sanitizer bucket in between use.

NON-CRITICAL

NON-CRITICAL

LOVE SUSHI

2201 MISSOURI BLVD
JEFFERSON CITY, MO

65109

Occurred

10/25/16

ROUTINE
 INSPECTION

Description

Status

OBSERVED: Sushi lower cooler is not maintaining a temperature of 41 or less.
 OBSERVED: Triple sink faucet is leaking.
 OBSERVED: Vents over stove top has debris present
 OBSERVED: Microwave has several areas inside that are chipping and peeling. Discontinue use.

CRITICAL

NON-CRITICAL

NON-CRITICAL

CRITICAL

LUTZ' S FAMOUS BBQ

3505 MISSOURI BLVD
JEFFERSON CITY, MO

65109

Occurred

10/26/16

ROUTINE
 INSPECTION

Description

Status

OBSERVED: Boxes being reused for transporting/storing food products.
 OBSERVED: walk in freezer floor not clean under shelving.

NON-CRITICAL

NON-CRITICAL

MCALISTER'S DELI

2323 MISSOURI BLVD
JEFFERSON CITY, MO

65109

Occurred

10/19/16

ROUTINE
 INSPECTION

Description

Status

OBSERVED: Floors in front of salad make table is distressed. Floor is chipping, not smooth, and easy to clean.

NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

RACHEL'S DOWNTOWN DINER
127 E HIGH ST
JEFFERSON CITY, MO 65101

ROUTINE Occurred
 INSPECTION 10/31/16

Description

Description	Status
OBSERVED: 2nd floor hand sink is soiled	NON-CRITICAL
OBSERVED: floor around cook line is soiled; floor under triple sink is soiled	NON-CRITICAL
OBSERVED: tuna salad not date labeled, nor other foods with 7 day discard date	NON-CRITICAL
OBSERVED: breadings/flour containers stored with no lids	NON-CRITICAL
OBSERVED: no paper towels present at 2nd floor hand sink	NON-CRITICAL
OBSERVED: not hot water available in the public restrooms during testing	NON-CRITICAL
OBSERVED: lid of kitchen Frigidaire chest freezer is ill-fitting, also has loose insulation present from broken inner lid	NON-CRITICAL
OBSERVED: cigarette litter present well within 10 feet of an outer opening [basement door]	NON-CRITICAL
OBSERVED: basement outside door found open after entering store upstairs	NON-CRITICAL
OBSERVED: numerous soiled cloths in sink and atop dish machine	NON-CRITICAL
OBSERVED: basement lighting over Frigidaire reach in freezer is burned out	NON-CRITICAL
OBSERVED: servers egg slicer is soiled; interior of microwave is soiled; cook line is soiled	NON-CRITICAL

SUBWAY
114 E HIGH ST X
JEFFERSON CITY, MO 65101

ROUTINE Occurred
 INSPECTION 10/03/16
 0

Description	Status
No Violations Cited	

SUBWAY STORE #28982
905 EASTLAND DR STE A
JEFFERSON CITY, MO 65101

ROUTINE Occurred
 INSPECTION 10/04/16
 0

Description	Status
No Violations Cited	

WALGREENS #12749
900 EASTLAND DR
JEFFERSON CITY, MO 65101

ROUTINE Occurred
 INSPECTION 10/24/16
 0

Description	Status
No Violations Cited	

GERBES WEST BAKERY DEPARTMENT
2805 W TRUMAN BLVD
JEFFERSON CITY, MO 65109

ROUTINE Occurred
 INSPECTION 10/25/16
 0

Description	Status
No Violations Cited	

HYVEE FOOD STORE-BAKERY
3721 W TRUMAN BLVD
JEFFERSON CITY, MO 65109

ROUTINE Occurred
 INSPECTION 10/04/16
 0

Description	Status
No Violations Cited	

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
SENIOR CENTER AT THE MALL 3600 COUNTRY CLUB DR STE JEFFERSON CITY, MO 65109			
ROUTINE INSPECTION	Occurred 10/24/16	Description	Status
0		No Violations Cited	
JEFFERSON CITY DAY CARE CENTER, INC 1002 MYRTLE AVE JEFFERSON CITY, MO 65109			
ROUTINE INSPECTION	Occurred 10/19/16	Description	Status
0		No Violations Cited	
CHILDREN'S GARDEN OF KNOWLEDGE, LLC 1914 SOUTHRIDGE DR JEFFERSON CITY, MO 65109			
ROUTINE INSPECTION	Occurred 10/11/16	Description	Status
0		No Violations Cited	
LITTLE RASCALS PLAYHOUSE AND PRESCHOOL 623 OHIO ST JEFFERSON CITY, MO 65109			
ROUTINE INSPECTION	Occurred 10/11/16	Description	Status
		OBSERVED: Refrigerator temperature was 47 degrees.	CRITICAL
JOY & GLADNESS CHILDREN ACADEMY, LLC 511 E MCCARTY ST JEFFERSON CITY, MO 65101			
ROUTINE INSPECTION	Occurred 10/26/16	Description	Status
		OBSERVED: Scented bleach being used to sanitize surfaces. Please use unscented bleach.	NON-CRITICAL
		OBSERVED: No trash can in the kitchen near hand sink.	NON-CRITICAL
		OBSERVED: No metal stemmed thermometers were found in the kitchen.	NON-CRITICAL
RED SKY RESTAURANT 112 E DUNKLIN ST JEFFERSON CITY, MO 65101			
ROUTINE INSPECTION	Occurred 10/19/16	Description	Status
		OBSERVED: hood exhaust filters has grease deposits present.	NON-CRITICAL
		OBSERVED: food product observed stored on floor in walk in cooler.	NON-CRITICAL
		OBSERVED: door/door handle to walk in cooler has food debris present.	NON-CRITICAL
		OBSERVED: walk in cooler floor under shelves needs cleaning.	
THREE STORY COFFEE MOBILE STORY UNIT 122 E DUNKLIN ST JEFFERSON CITY, MO 65101			
ROUTINE INSPECTION	Occurred 10/01/16	Description	Status
0		No Violations Cited	

CITY OF JEFFERSON
Food Establishment Inspection Report
Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description